

| Ref # | Hits | Search Query   | DBs             | Default Operator | Plurals | Time Stamp       |
|-------|------|--|-----------------|------------------|---------|------------------|
| S4    | 5    | hawaii and ip with mobility and (@rlaD<"19990719" @ad<"19990719")  | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:35 |
| S5    | 0    | tora and ip with mobility and (@rlaD<"19990719" @ad<"19990719")  | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:35 |
| S7    | 20   | (handoff\$1 handover\$1 hand-off\$1 hand-over\$1) with tunnel\$3 and ip with mobility and (@rlaD<"19990719" @ad<"19990719")                      | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:44 |
| S9    | 1    | (handoff\$1 handover\$1 hand-off\$1 hand-over\$1) with tunnel\$3 and ip with mobility and (@rlaD<"19990719" @ad<"19990719") and hop\$1           | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:36 |
| S10   | 2    | tora and "370"/\$.ccls. and (@rlaD<"19990719" @ad<"19990719")  | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:41 |
| S11   | 2    | (temporarily adj ordered adj routing tora and "370"/\$.ccls.) and (@rlaD<"19990719" @ad<"19990719")  | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:40 |
| S12   | 2    | (ordered adj routing adj algorithm tora and "370"/\$.ccls.) and (@rlaD<"19990719" @ad<"19990719")  | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:40 |
| S13   | 32   | (handoff\$1 handover\$1 hand-off\$1 hand-over\$1 ip with mobility) and (tora distance adj vector) and (@rlaD<"19990719" @ad<"19990719")          | US-PGPUB; USPAT | OR               | OFF     | 2005/08/14 17:46 |
| S14   | 22   | (ip adj5 mobility) and (hops tora distance adj vector) and (@rlaD<"19990719" @ad<"19990719")   | US-PGPUB; USPAT | OR               | OFF     | 2005/08/15 12:36 |
| S15   | 2    | (ip near5 (mobile mobility)) and (handoff\$1 handover\$1) same (distance\$1 adj vector\$1 link adj state ) and (@rlaD<"19990719" @ad<"19990719") | US-PGPUB; USPAT | OR               | OFF     | 2005/08/15 12:40 |
| S18   | 29   | (forwarding routing) adj table\$1 and home adj agent\$1 same foreign\$3 adj agent\$1 and (@rlaD<="19990719" @ad<="19990719")                     | US-PGPUB; USPAT | OR               | OFF     | 2005/08/15 15:06 |

|     |    |   |                 |    |     |                  |
|-----|----|---|-----------------|----|-----|------------------|
| S22 | 8  | (forwarding routing) adj table\$1 with tunnel\$3 and (home adj agent\$1 foreign\$3 adj agent\$1 ip near5 (mobility mobile)) and tunnel\$3 with (header\$1 table\$1) and (@rlaD<="19990719" @ad<="19990719") | US-PGPUB; USPAT | OR | OFF | 2005/08/15 17:53 |
| S25 | 11 | (mpls label adj switch\$3) and (home adj agent\$1 foreign\$3 adj agent\$1 ip near5 (mobility mobile)) and (@rlaD<="19990719" @ad<="19990719")   | US-PGPUB; USPAT | OR | OFF | 2005/08/15 18:01 |
| S27 | 25 | (home adj agent\$1 foreign\$3 adj agent\$1 ip near5 (mobility mobile)) and tunnel\$3 near3 (id identifier\$1) and (@rlaD<="19990719" @ad<="19990719")   | US-PGPUB; USPAT | OR | OFF | 2005/08/15 18:08 |
| S30 | 21 | I2tp same tunnel\$3 and tunnel\$3 with router and (@rlad<"19990719" @ad<"19990719")   | US-PGPUB; USPAT | OR | OFF | 2005/08/15 18:17 |
| S36 | 23 | I2tp with tunnel\$3 and router\$1 with table\$1 and (@rlad<"19990719" @ad<"19990719")   | US-PGPUB; USPAT | OR | OFF | 2005/08/15 18:21 |
| S42 | 1  | setup with I2tp and (@rlad<"19990719" @ad<"19990719")   | US-PGPUB; USPAT | OR | OFF | 2005/08/15 19:05 |